

**IEEE Standard for  
Information technology—  
Telecommunications and information  
exchange between systems—  
Local and metropolitan area networks—  
Specific requirements**

**Part 3: Carrier Sense Multiple Access with  
Collision Detection (CSMA/CD) Access Method  
and Physical Layer Specifications**

**Corrigendum 1: Timing Considerations for PAUSE Operation**

**LAN/MAN Standards Committee  
of the  
IEEE Computer Society**

Approved 9 December 2009  
**IEEE-SA Standards Board**

**Abstract:** The correction to the PAUSE reaction timing delay for the 10GBASE-T port type is addressed in this corrigendum to IEEE Std 802.3-2008.

**Keywords:** 802.3, 802.3bb, 802.3-2008/Cor-1, PAUSE

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 1 February 2010. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

**This corrigendum may be freely reproduced and distributed in order to maintain the utility currency of the underlying Standard. This corrigendum may not be sold, licensed or otherwise distributed for any commercial purposes whatsoever. The content of this corrigendum sheet may not be modified. This information has been incorporated into the second printing of Section Two of IEEE Std 802.3-2008.**

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied **“AS IS.”**

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE. Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required.

Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854  
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Introduction

This introduction is not part of IEEE Std 802.3-2008/Cor 1-2009, IEEE Standard for Information technology—Telecommunications and information exchange between systems—Local and metropolitan area networks—Specific requirements, Part 3: CSMA/CD Access Method and Physical Layer Specifications, Corrigendum 1: Timing Considerations for PAUSE Operation.

IEEE Std 802.3<sup>TM</sup> was first published in 1985. Since the initial publication, many projects have added functionality or provided maintenance updates to the specifications and text included in the standard. Each IEEE 802.3 project/amendment is identified with a suffix (e.g., IEEE Std 802.3av<sup>TM</sup>-2009).

The Media Access Control (MAC) protocol specified in IEEE Std 802.3 is Carrier Sense Multiple Access with Collision Detection (CSMA/CD). This MAC protocol was included in the experimental Ethernet developed at Xerox Palo Alto Research Center. While the experimental Ethernet had a 2.94 Mb/s data rate, IEEE Std 802.3-1985 specified operation at 10 Mb/s. Since 1985 new media options, new speeds of operation, and new capabilities have been added to IEEE Std 802.3.

Some of the major additions to IEEE Std 802.3 are identified in the marketplace with their project number. This is most common for projects adding higher speeds of operation or new protocols. For example, IEEE Std 802.3u<sup>TM</sup> added 100 Mb/s operation (also called Fast Ethernet), IEEE Std 802.3x<sup>TM</sup> specified full duplex operation and a flow control protocol, IEEE Std 802.3z<sup>TM</sup> added 1000 Mb/s operation (also called Gigabit Ethernet), IEEE Std 802.3ae<sup>TM</sup> added 10 Gb/s operation (also called 10 Gigabit Ethernet) and IEEE Std 802.3ah<sup>TM</sup> specified access network Ethernet (also called Ethernet in the First Mile). These major additions are all now included in, and are superseded by, IEEE Std 802.3-2008 and are not maintained as separate documents.

At the date of IEEE Std 802.3-2008/Cor 1-2009 publication, IEEE Std 802.3 comprises the following documents:

### IEEE Std 802.3-2008

Section One—Includes Clause 1 through Clause 20 and Annex A through Annex H and Annex 4A. Section One includes the specifications for 10 Mb/s operation and the MAC, frame formats and service interfaces used for all speeds of operation.

Section Two—Includes Clause 21 through Clause 33 and Annex 22A through Annex 33E. Section Two includes management attributes for multiple protocols and speed of operation as well as specifications for providing power over twisted pair cabling for multiple operational speeds. It also includes general information on 100 Mb/s operation as well as most of the 100 Mb/s Physical Layer specifications.

Section Three—Includes Clause 34 through Clause 43 and Annex 36A through Annex 43C. Section Three includes general information on 1000 Mb/s operation as well as most of the 1000 Mb/s Physical Layer specifications.

Section Four—Includes Clause 44 through Clause 55 and Annex 44A through Annex 55B. Section Four includes general information on 10 Gb/s operation as well as most of the 10 Gb/s Physical Layer specifications.

Section Five—Includes Clause 56 through Clause 74 and Annex 57A through Annex 74A. Clause 56 through Clause 67 and associated annexes specify subscriber access and other Physical Layers and sublayers for operation from 512 kb/s to 1000 Mb/s, and defines services and protocol elements that enable the exchange of IEEE Std 802.3 format frames between stations in a subscriber access network. Clause 68 specifies a 10 Gb/s Physical Layer specification. Clause 69 through Clause 74 and

associated annexes specify Ethernet operation over electrical backplanes at speeds of 1000 Mb/s and 10 Gb/s.

#### IEEE Std 802.3av-2009

This amendment includes changes to IEEE Std 802.3-2008 and adds Clause 75 through Clause 77 and Annex 75A through Annex 76A. This amendment adds new Physical Layers for 10 Gb/s operation on point-to-multipoint passive optical networks.

#### IEEE Std 802.3bc™-2009

This amendment includes changes to IEEE Std 802.3-2008 and adds Clause 79. This amendment moves the Ethernet Organizationally Specific Type, Length, Value (TLV) information elements that were specified in IEEE Std 802.1AB to IEEE Std 802.3.

#### IEEE Std 802.3at™-2009

This amendment includes changes to IEEE Std 802.3-2008. This amendment augments the capabilities of IEEE Std 802.3-2008 with higher power levels and improved power management information.

#### IEEE Std 802.3-2008/Cor 1–2009

This corrigendum corrects the PAUSE reaction timing delay value for the 10GBASE-T PHY type.

IEEE Std 802.3 will continue to evolve. New Ethernet capabilities are anticipated to be added within the next few years as amendments to this standard.

## **Notice to users**

### **Laws and regulations**

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

### **Copyrights**

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

### **Updating of IEEE documents**

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether

a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association website at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA website at <http://standards.ieee.org>.

## **Errata**

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## **Downloads**

Portions of this standard can be downloaded from the Internet. Materials include PICS tables, data tables, and code. URLs are listed in the text in the appropriate sections.

## **Interpretations**

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

## **Patents**

Attention is called to the possibility that implementation of this amendment may require use of subject matter covered by patent rights. By publication of this amendment, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this amendment are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

## Participants

The following individuals were officers and members of the IEEE 802.3 working group at the beginning of the working group ballot. Individuals may have not voted, voted for approval, disapproval, or abstained on this standard.

**David J. Law**, *Working Group Chair*  
**Wael William Diab**, *Working Group Vice-Chair*

**Steven B. Carlson**, *Working Group Executive Secretary*  
**Adam Healey**, *Working Group Secretary*  
**Bradley Booth**, *Working Group Treasurer*

**Wael William Diab**, *Chair and Editor-in-Chief, IEEE 802.3bb Task Force*

Ghani Abbas	Frank Effenberger	Shoukei Kobayashi
John Abbott	George Eisler	David Koenen
Justin Abbott	David Estes	Paul Kolesar
Akira Agata	John Ewen	Seiji Kozaki
Arne Alping	Daniel Feldman	Glen Kramer
Yehuda Alush	Dongning Feng	Joerg Kropp
Peter Anslow	Alan Flatman	Yasuyuki Kuroda
Thananya Baldwin	Norbert Folkens	Toshihiko Kusano
Jaya Bandyopadhyay	Howard Frazier	Hans Lackner
Ozdal Barkan	Richard Frosch	Lowell Lamb
Jim Barnette	Ilango S. Ganga	D. Matthew Landry
Hugh Barrass	Ali Ghiasi	Jeff Lapak
Howard Baumer	Dimitrios Giannakopoulos	Ryan Latchman
Denis Beaudoin	Larry Green	Kyusang Lee
Christian Beia	Michael Grimwood	Andreas Lenkisch
Michael Bennett	Robert Grow	Raymond W. K. Leung
Ernest Bergmann	Mark Gustlin	Mike Peng Li
Ralf-Peter Braun	Paul Gyugyi	Ru Jian Lin
Dirk Breuer	Marek Hajduczenia	Robert Lingle
Alan Brown	Hiroshi Hamano	James Lott
Robert Busse	Bernie Hammond	Sharon Lutz
Maurice Caldwell	Greg Hankins	Eric Lynskey
J. Martin Carroll	Robert Hays	Anthony Magee
Mandeep Chadha	Kengo Hirano	Joseph Maggolino
David Chalupsky	Ryan Hirth	Valerie Maguire
Frank Chang	Keith Hopwood	Jeffery J. Maki
Sun-Hyok Chang	Rita Horner	Jeff Mandin
Jian Chen	Stanley Hronik	Carlo Mariotti
Joseph Chou	Dean Huumala	Arthur Marris
Hwan-Seok Chung	Thong Huynh	Arlon Martin
Terry Cobb	Hiroki Ikeda	Phil McClay
Christopher R. Cole	Kazuhiko Ishibe	Michael S. McCormack
Doug Coleman	Osamu Ishida	John McDonough
Herbert V. Congdon	Hideki Isono	Jim McGrath
Charles Cook	John Jetzt	Greg McSorley
John D'Ambrosia	Jack L. Jewell	Richard Mellitz
Fumio Daido	Jessica Jiang	Jeffrey Meyer
Yair Darshan	Wenbin Jiang	Tremont Miao
Piers Dawe	Thomas K. Joergensen	Andy Moorwood
Bill Delveaux	Chad Jones	Kazuyuki Moris
Bryan Dietz	Bheom-Soon Joo	
Chris Diminico	Sanjay Kasturia	
Thomas Dineen	Yasuaki Kawatsu	
Thuyen Dinh	Seung-Hwan Kim	
Dan Dove	Yongbum Kim	
Mike Dudek	Mitsunobu Kimura	
Joseph Dupuis	Scott Kipp	

Shimon Muller  
Angela Muscat  
Gerard Nadeau  
Takeshi Nagahori  
Edward Nakamoto  
Jay Neer  
Gary Nicholl  
George Noh  
Takumi Nomura  
Ronald Nordin  
Ahmad Nouri  
Mark Nowell  
Satoshi Obara  
David Ofelt  
Gourgen Oganessyan  
Padraig OMathuna  
Akihiro Otaka  
George Oulundsen  
Tom Palkert  
Sesha Panguluri  
Gavin Parnaby  
Shashi Patel  
Martin Patoka  
Petar Pepeljugoski  
Gerald Pepper  
John Petrilla  
Velu Pillai  
Rick Pimpinella  
Scott Powell  
Holger Quast

Rick Rabinovich  
Randy Rannow  
Duane Remein  
Tamir Reshef  
Michael Ressler  
June-Koo (Kevin) Rhee  
Poldi (Pavlick) Rimboim  
Sam Sambasivan  
Ramesh Sastry  
Olindo Savi  
Edward Sayre  
Frederick Schindler  
Thomas Schrans  
Shawn Searles  
Ted Seely  
Khorvash (Kory) Sefidvash  
Murat Serbay  
Farhad Shafai  
Masayuki Shigematsu  
Jong-Yoon Shin  
Larry Shorthill  
Jesse Simsarian  
Clayton Stanford  
Henk Steenman  
Christopher Stook  
Olaf Storaasli  
Alan Sugg  
Ken-Ichi Suzuki  
Naoki Suzuki  
Steve Swanson

Andre Szczepanek  
Dimitry Taich  
Akio Tajima  
Hidenori Takahashi  
Motoyuki Takizawa  
Keiji Tanaka  
Sashi Thiagarajan  
Geoffrey Thompson  
Hidehiro Toyoda  
Mario Traeber  
Matthew Traverso  
Stephen Trowbridge  
Shinji Tsuji  
Eddie Tsumura  
Brad Turner  
Alexander Umnov  
Sterling A. Vaden  
Paul Vanderlaan  
Albert Vareljian  
Anoop Vetteth  
Vittal Vittal  
Ionel Marius Vladan  
Andrew Weitzner  
Martin White  
Bill Woodruff  
Masaki Yasukawa  
Tetsuya Yokomoto  
George Young  
George Zimmerman  
Pavel Zivny

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Jacob Ben Ary  
Tomo Bogataj  
Benjamin Brown  
William Byrd  
James Carlo  
Steven B. Carlson  
Juan Carreon  
Keith Chow  
Charles Cook  
John Dambrosia  
Russell Dietz  
Thomas Dineen  
Sourav Dutta  
C. Fitzgerald  
Yukihiro Fujimoto  
Devon Gayle  
Randall Groves  
Robert C. Grow  
Marek Hajduczenia  
John Hawkins  
Marco Hernandez  
Akio Iso

Atsushi Ito  
Raj Jain  
Shinkyō Kaku  
Stuart J. Kerry  
Yongbum Kim  
Scott Kipp  
D. Matthew Landry  
David J. Law  
Michael Lerer  
Robert Lingle  
William Lumpkins  
G. Luri Luri  
Elvis Maculuba  
Valerie Maguire  
Arthur Marris  
Peter Martini  
Jonathon McLendon  
Richard Mellitz  
Jose Morales  
Joseph Moran  
Michael S. Newman  
Nick S. A. Nikjoo  
Satoshi Obara

Sesha Panguluri  
Tamir Reshef  
Robert Resuali  
Robert Robinson  
Rashid Saeed  
Bartien Sayogo  
Frederick Schindler  
Rich Seifert  
Gil Shultz  
Amjad Soomro  
Matthew Squire  
Thomas Starai  
Walter Struppler  
Ken-Ichi Suzuki  
Seigo Takahashi  
William Taylor  
Patricia Thaler  
Edward J. Turner  
Mark-Rene Uchida  
Scott Valcourt  
Kunpeng Wu  
Oren Yuen

When the IEEE-SA Standards Board approved this standard on 9 December 2009, it had the following membership:

**Robert M. Grow, *Chair***  
**Thomas Prevost, *Vice Chair***  
**Steve M. Mills, *Past Chair***  
**Judith Gorman, *Secretary***

John Barr  
Karen Bartleson  
Victor Berman  
Ted Burse  
Richard DeBlasio  
Andy Drozd  
Mark Epstein

Alexander Gelman  
Jim Hughes  
Richard H. Hulett  
Young Kyun Kim  
Joseph L. Koepfing\*  
John Kulick

David J. Law  
Ted Olsen  
Glenn Parsons  
Ronald C. Petersen  
Narayanan Ramachandran  
Jon Walter Rosdahl  
Sam Sciacca

\*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Howard L. Wolfman, TAB Representative  
Michael Janezic, NIST Representative  
Satish Aggarwal, NRC Representative

Michelle Turner  
*IEEE Standards Program Manager, Document Development*

Kathryn Cush  
*IEEE Standards Program Manager, Technical Program Development*

## Annex 31B

### 31B.3.7 Timing considerations for PAUSE operation

*Change subclause 31B.3.7 as follows:*

In a full duplex mode DTE, it is possible to receive PAUSE frames asynchronously with respect to the transmission of MAC frames. For effective flow control, it is necessary to place an upper bound on the length of time that a DTE can transmit data frames after receiving a valid PAUSE frame with a non-zero pause\_time request\_operand.

Reception of a PAUSE frame shall not affect the transmission of a MAC frame that has been submitted by the MAC Control sublayer to the underlying MAC (i.e., the MAC:MA\_DATA.request service primitive is synchronous, and is never interrupted).

At operating speeds of 100 Mb/s or less, a station that implements an exposed MII, shall not begin to transmit a (new) frame (assertion of TX\_EN at the MII, see 22.2.2.3) more than pause\_quantum bit times after the reception of a valid PAUSE frame (de-assertion of RX\_DV at the MII, see 22.2.2.6) that contains a non-zero value of pause\_time. Stations that do not implement an exposed MII, shall measure this time at the MDI, with the timing specification increased to (pause\_quantum + 64) bit times.

At an operating speed of 1000 Mb/s, a station shall not begin to transmit a (new) frame more than two pause\_quantum bit times after the reception of a valid PAUSE frame that contains a non-zero value of pause\_time, as measured at the MDI.

~~At operating speeds of 10 Gb/s and above, a station shall not begin to transmit a (new) frame more than sixty pause\_quantum bit times after the reception of a valid PAUSE frame that contains a non-zero value of pause\_time, as measured at the MDI.~~

At operating speeds of 10 Gb/s, a station with a 10GBASE-T PHY shall not begin to transmit a (new) frame more than 74 pause\_quantum bit times after the reception of a valid PAUSE frame that contains a non-zero value of pause\_time, as measured at the MDI. A station using any other 10 Gb/s PHY shall not begin to transmit a (new) frame more than 60 pause\_quantum bit times after the reception of a valid PAUSE frame that contains a non-zero value of pause\_time, as measured at the MDI.

In addition to DTE and MAC Control delays, system designers should take into account the delay of the link segment when designing devices that implement the PAUSE operation.

### 31B.4.6 PAUSE command MAC timing considerations

Change Table in 31B.4.6 as follows:

Item	Feature	Subclause	Value/Comment	Status	Support
TIM1	Effect of PAUSE frame on a frame already submitted to underlying MAC	31B.3.7	Has no effect	M	Yes [ ]
	Delay from receiving valid PAUSE command, with non-zero value for pause_time, to cessation of transmission	31B.3.7	Measured as described		
TIM2	Measurement point for station with MII		Delay at MII $\leq$ pause_quantum bits	MIIf: M	N/A [ ] M: Yes [ ]
TIM3	Measurement point for station without MII at 100 Mb/s or less		Delay at MDI $\leq$ (pause_quantum + 64) bits	MIIf: M	N/A [ ] M: Yes [ ]
TIM4	Measurement point for station at 1000 Mb/s		Delay at MDI $\leq$ (2 $\times$ pause_quantum) bits	MIIf: M	N/A [ ] M: Yes [ ]
TIM5	Measurement point for station at 10 Gb/s <del>or greater</del> with PHY types other than 10GBASE-T		Delay at MDI $\leq$ (60 $\times$ pause_quantum) bits	MIIf: M	N/A [ ] M: Yes [ ]
<u>TIM6</u>	<u>Measurement point for station at 10 Gb/s with PHY types of 10GBASE-T</u>		<u>Delay at MDI <math>\leq</math> (74 <math>\times</math> pause_quantum) bits</u>	<u>MIIf: M</u>	<u>N/A [ ]</u> <u>M: Yes [ ]</u>

