

## IEEE Standards Interpretations for IEEE Std 1003.2™-1992 IEEE Standard for Information Technology--Portable Operating System Interfaces (POSIX®)-- Part 2: Shell and Utilities

Copyright © 1996 by the Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue New York, New York 10016-5997 USA All Rights Reserved.

Interpretations are issued to explain and clarify the intent of a standard and **do not** constitute an alteration to the original standard. In addition, interpretations are not intended to supply consulting information. Permission is hereby granted to download and print one copy of this document. Individuals seeking permission to reproduce and/or distribute this document in its entirety or portions of this document must contact the IEEE Standards Department for the appropriate license. Use of the information contained in this document is at your own risk.

IEEE Standards Department, Copyrights and Permissions, 445 Hoes Lane, Piscataway, New Jersey 08855-1331, USA

### Interpretation Request #111

**Topic:** yacc **Relevant Clauses:** A.3.7.4

Lines 1133-1134 state that "All assigned token numbers shall be unique and distinct from the token numbers used for literals. "Historically, this uniqueness has only been guaranteed among the token numbers assigned by yacc; it was possible for yacc-assigned token numbers to have the same value as user-assigned token numbers. My question is, should the above quotation from the standard be taken to mean that YACC-assigned token numbers are unique among themselves, or across all token numbers, including user-assigned ones?

### Interpretation Response

The standard is unclear on this issue, and no conformance distinction can be made between alternative implementations based on this. This is being referred to the sponsor.

### Rationale for Interpretation

None.